

研究論文等リスト

研究論文

- 1) N. Tsutsumi, Y. Kono, M. Oya, W. Sakai, M. Nagata, “Recent development of biodegradable network polyesters obtained from renewable natural resources”, *Clean* 36(8), pp.682-686 (2008).
- 2) N. Tsutsumi, A. Fujihara, K. Nagata, “Fabrication of laser induced periodic surface structure for geometrical engineering”, *Thin Solid Films* 517, pp.1487-1492 (2008).
- 3) N. Tsutsumi and Y. Ikegami, “Second-order optical nonlinearities from $\chi^{(2)}$ gratings induced by holographic all-optical poling”, *Optics Commun.* 281, pp. 5905-5909 (2008).
- 4) N. Tsutsumi, H. Kasaba, “Effect of molecular weight of poly(N-vinyl carbazole) on photorefractive performances”, *J. Appl. Phys.* 104, 073102 (2008).
- 5) M. Nagata, T. Tanabe, W. Sakai, N. Tsutsumi, “Preparation and properties of biodegradable network poly(ester-carbonate) elastomers”, *Polymer* 49, pp.1506-1511 (2008).
- 6) N. Tsutsumi, Y. Ito, W. Sakai, “Effect of sensitizer on photorefractive nonlinear optics in poly(N-vinylcarbazole) based polymer composites” *Chem. Phys.* 344, pp. 189-194 (2008).
- 7) N. Tsutsumi, M. Takeuchi, “All-plastic organic dye laser with distributed feedback resonator structure” *Thin Solid Films* 516, pp. 2783-2787 (2008).
- 8) N. Tsutsumi, M. Takeuchi, “Ti-sapphire femtosecond pulse pumped laser emission from all-plastic organic waveguide with distributed feedback resonator”, *Optics Commun.* 281, pp. 2179-2183 (2008).
- 9) K. Yamane, A. Sawamoto, S. Hotta, H. Yanagi, “Organic heterojunction ambipolar field effect transistors with asymmetric source and drain electrodes,” *Thin Solid Films* 516, 2758–2761 (2008).
- 10) K. Yamane, H. Yanagi, S. Hotta, “Ambipolar field effect transistors with heterojunction of organic semiconductors,” *Thin Solid Films* 516, 3157–3161 (2008).
- 11) T. Yamao, Y. Shimizu, K. Terasaki, S. Hotta, “Organic light-emitting field-effect transistors operated by alternating-current gate voltages,” *Adv. Mater.* 20, 4109–4112 (2008).
- 12) Shu Hotta, Yasuhiro Shimizu, Takeshi Yamao, Midori Goto, Reiko Azumi, “Crystal Structure and FET Characteristics of an n-Type Thiophene/Phenylene Co-oligomer of 1,4-Bis{5-[4-(trifluoromethyl)phenyl]thiophen-2-yl}benzene,” *Chem. Lett.* 38, 294–295 (2009).
- 13) T. Yamao, H. Kuriki, T. Miki, S. Hotta, “A field-effect transistor based upon thiophene/phenylene co-oligomer nanomolecules combined with a composite polymer gate insulator,” *J. Nanosci. and Nanotechnol.* 9, 165–168 (2009).
- 14) Toru Hiramatsu, Naoki Matsuoka, Hisao Yanagi, Fumio Sasaki, Shu Hotta, “Gain-narrowed emissions of thiophene/phenylene co-oligomer single crystals,” *Phys. Stat. Solidi C* 6, 338–341 (2009).
- 15) Takeshi Yamao, Kazunori Yamamoto, Shu Hotta, “A high optical-gain organic crystal comprising thiophene/phenylene co-oligomer nanomolecules,” *J. Nanosci. and Nanotechnol.*, in press.

- 16) Takeshi Yamao, Hiroshi Akagami, Yoshihiro Nishimoto, Shu Hotta, Yuji Yoshida, “Improved Device Performance of Organic Crystal Field-Effect Transistors Fabricated on Friction-Transferred Substrates,” *J. Nanosci. and Nanotechnol.*, in press.
- 17) Takeshi Yamao, Kazunori Yamamoto, Takeshi Inoue, Yuki Okuda, Yuki Taniguchi, Shu Hotta, “Refractive index along the molecular long axis of an orthorhombic thiophene/phenylene co-oligomer crystal,” *Jpn. J. Appl. Phys.*, in press.
- 18) Takeshi Yamao, Takeshi Inoue, Yuki Okuda, Takashi Ishibashi, Shu Hotta, Naoto, Tsutsumi, “Gain-narrowed emissions from oligomer crystals assisted by interference exposure”, *Synth. Met.*, in press.
- 19) Takeshi Yamao, Takuya Sakaguchi, Keiichiro Juri, Hiroko Doi, Akira Kamoi, Naotoshi Suganuma, Shu Hotta, “Improvements of morphologies and emission characteristics of highly purified organic oligomer semiconductors,” *Thin Solid Films*, in press.
- 20) Satria Zulkarnaen Bisri, Taishi Takenobu, Yohei Yomogida, Hidekazu Shimotani, Takeshi Yamao, Shu Hotta, Yoshihiro Iwasa, “High Mobility and Luminescent-Efficiency in Organic Single-Crystal Light-Emitting Transistors,” *Adv. Funct. Mater.*, in press..
- 21) T. Yamao, S. Ota, T. Miki, S. Hotta, R. Azumi, “Improved sublimation growth of single crystals of thiophene/phenylene co-oligomers,” *Thin Solid Films* 516, 2527–2531 (2008).
- 22) T. Yamao, K. Yamamoto, Y. Taniguchi, T. Miki, S. Hotta, “Laser oscillation in a highly anisotropic organic crystal with a refractive index of 4.0,” *J. Appl. Phys.* 103, 093115 (2008).
- 23) T. Yamao, K. Yamamoto, T. Miki, H. Akagami, Y. Nishimoto, S. Hotta, “Polarized laser oscillation from polygon crystals of thiophene/phenylene co-oligomers grown by liquid-phase growth,” *Phys. Status Solidi C* 5, 3194–3196 (2008).
- 24) K. Bando, T. Nakamura, S. Fujiwara, Y. Masumoto, F. Sasaki, S. Kobayashi, Y. Shimoi, S. Hotta, “Optical selection rule for the lower Davydov excitons in co-oligomer single crystals,” *Physical Review B* 77, 045205/6 pages (2008).
- 25) T. Yamao, Y. Taniguchi, K. Yamamoto, T. Miki, T. Ohira, S. Hotta, “Polarized emissions from single crystals of thiophene/phenylene co-oligomers measured by microspectroscopy,” *Jpn. J. Appl. Phys.* 47, 4719–4723 (2008).
- 26) K. Yamane, A. Sawamoto, S. Hotta, H. Yanagi, “Organic heterojunction ambipolar field effect transistors with asymmetric source and drain electrodes,” *Thin Solid Films* 516, 2758–2761 (2008).
- 27) T. Hiramatsu, T. Shimada, S. Hotta, H. Yanagi, “Photoluminescence dynamics of thiophene/phenylene co-oligomer thin films based on Förster energy transfer,” *Thin Solid Films* 516
- 28) Y. Tominaga, Y. Kinoshita, K. Oe, M. Yoshimoto, “Structural investigation of GaAs_{1-x}Bi_x/GaAs multi-quantum wells”, *Appl. Phys. Lett.* **93** (2008) 131915 (3 ページ).
- 29) Y. Tominaga, Y. Kinoshita, G. Feng, K. Oe, M. Yoshimoto, “Growth of GaAs_{1-x}Bi_x/GaAs multi-quantum wells by molecular beam epitaxy”, *phys. stat. sol. (c)* **5** (2008) 2719-2721.
- 30)

国際会議

- 1) Naoto Tsutsumi, Arata Fujihara, Kazuya Nagata, “Fabrication of laser induced periodic structure for geometrical engineering”, *Abstracts, 2nd International Symposium on the Manipulation of Advanced Smart Materials (ISMASM2008)* (Awaji, May 28-29 2008).
- 2) Takashi Ishibashi, Wataru Sakai, Naoto Tsutsumi, “Organic DFB laser”, *Abstracts 3rd International Symposium on Polymer Science* p.41 (2008) (Nagoya, November 10-11 2008).
- 3) Kazuya Nagata, Wataru Sakai, Naoto Tsutsumi, “Photoinduced chiral structures in azobenzene polymers”, *Abstracts 3rd International Symposium on Polymer Science* p.42 (2008) (Nagoya, November 10-11 2008).
- 4) Tomohiro Yamaoka, Wataru Sakai, Naoto Tsutsumi, “Ferroelectric properties of ultrathin films of Nylon 11”, *Abstracts 8th International Conference on Nano Molecular Electronics (ICNME2008)* p.156 (2008) (Kobe, December 16-18 2008).
- 5) Takeshi Yamao, Yasuhiro Shimizu, Kohei Terasaki, Shu Hotta, “Enhanced light emission from organic field-effect transistors operated by alternating-current gate voltages,” International Conference on Science and technology of Synthetic Metals (ICSM 2008), Porto de Galinhas, Pernambuco, Brazil, July 6–11, 2008.
- 6) Shu Hotta, Yoichi Sakurai, Tomoharu Miki, Kazuyuki Matsunaga, Fumio Hirato, Takeshi Yamao, Hiroshi Jinnai, “A thiophene/phenylene co-oligomer slab waveguide equipped with a distributed Bragg reflector,” International Conference on Science and technology of Synthetic Metals (ICSM 2008), Porto de Galinhas, Pernambuco, Brazil, July 6–11, 2008
- 7) Takeshi Yamao, Kazunori Yamamoto, Takeshi Inoue, Yuki Okuda, Yuki Taniguchi, Shu Hotta, “Refractive index along the molecular long axis of an orthorhombic thiophene/phenylene co-oligomer crystal,” 2008 International Conference on Solid State Devices and Materials (SSDM 2008), Tsukuba International Congress Center (EPOCHAL TSUKUBA), Ibaraki, Japan, September 23–26, 2008.
- 8) Shu Hotta, Takeshi Yamao, “Ultimate performance of hybridized conjugated polymers with super-controlled sizes and molecular shapes,” 3rd International Workshop on Super-Hierarchical Structures, Awaji Yumebutai International Conference Center, Hyogo, Japan, October 20–21, 2008.
- 9) Takeshi Yamao, Takeshi Inoue, Yuki Okuda, Takashi Ishibashi, Shu Hotta, Naoto Tsutsumi, “Laser oscillations in oligomer crystals by interference exposure method,” 18th IKETANI CONFERENCE, International Conference on Control of Super-Hierarchical Structures and Innovative Functions of Next-Generation Conjugated Polymers, Awaji Yumebutai International Conference Center, Hyogo, Japan, October 21–23, 2008.
- 10) Takeshi Yamao, Takuya Sakaguchi, Keiichiro Juri, Naotoshi Suganuma, Shu Hotta, “Improvements of morphologies and electronic properties of highly purified organic oligomer semiconductors,” 8th International Conference on Nano-Molecular Electronics (ICNME 2008), Portopia Hotel Kobe, Hyogo, Japan, December 16–18, 2008.

- 11) Takeshi Yamao, Kohei Terasaki, Yasuhiro Shimizu, Shu Hotta, “*Light emission from organic field-effect transistors enhanced by alternating-current gate voltages,*” Invited, IMR Workshop on Organic Light Emitting Devices, Institute for Materials Research, Tohoku University, and Iwanumaya Hotel, Sendai, Japan, January 23–24, 2009.
- 12) Hisao Yanagi, Fumio Sasaki, Shu Hotta, “*Light Amplification by Stimulated Resonant Raman Scattering in Organic Solids,*” Invited, IMR Workshop on Organic Light Emitting Devices, Institute for Materials Research, Tohoku University, and Iwanumaya Hotel, Sendai, Japan, January 23–24, 2009.
- 13) Satria Z. Bisri, Y. Yomogida, S. Tsuda, T. Takenobu, T. Yamao, C. Adachi, S. Hotta, Y. Iwasa, “*Optoelectronic Properties of Organic Single-Crystals Ambipolar Light-Emitting Transistor,*” Invited, IMR Workshop on Organic Light Emitting Devices, Institute for Materials Research, Tohoku University, and Iwanumaya Hotel, Sendai, Japan, January 23–24, 2009.
- 14) Yohei Yomogida, Taishi Takenobu, Satria Zulkarnaen Bisri, Hajime Nakanotani, Masayuki Yahiro, Chihaya Adachi, Takeshi Yamao, Shu Hotta, Yoshihiro Iwasa, “*Ambipolar Light Emitting Transistor based on Highly Photo luminescent Organic Single Crystals,*” IMR Workshop on Organic Light Emitting Devices, Institute for Materials Research, Tohoku University, and Iwanumaya Hotel, Sendai, Japan, January 23–24, 2009.
- 15) Takeshi Yamao, Yasuhiro Shimizu, Hirofumi Kuriki, Toshifumi Katagiri, Shu Hotta, “*Improved FET characteristics of an n-type semiconducting thiophene/phenylene co-oligomer,*” Fifth International Conference on Molecular Electronics and Bioelectronics (M&BE5), Miyazaki International Conference Hall, Miyazaki, Japan, March 15–18, 2009.
- 16) Yuki Shigee, Hisao Yanagi, Kohei Terasaki, Takeshi Yamao, Shu Hotta, “*Organic light-emitting field-effect transistor with channel waveguide structure,*” Fifth International Conference on Molecular Electronics and Bioelectronics (M&BE5), Miyazaki International Conference Hall, Miyazaki, Japan, March 15–18, 2009.
- 17) N. Matsuoka, T. Hiramatsu, H. Yanagi, F. Sasaki, S. Hotta, “*Characterization of gain-narrowed emission from biphenyl-capped thiophene single crystals,*” Fifth International Conference on Molecular Electronics and Bioelectronics (M&BE5), Miyazaki International Conference Hall, Miyazaki, Japan, March 15–18, 2009.
- 18) Yoriko Tominaga, Yusuke Kinoshita, Kunishige Oe, Masahiro Yoshimoto, “*Growth of GaAs_{1-x}Bi_x/GaAs multi-quantum wells with 1.3 μm photoluminescence emission*”, *50th Electronic Materials Conference*, Santa Barbara, CA, USA.
- 19) Yoriko Tominaga, Kunishige Oe, Masahiro Yoshimoto, “*GaAsBi/GaAs multi-quantum wells with well-defined multi-layered structures*”, *IEEE Nanotechnology Materials and Devices Conference 2008*, 京都.

特許

- 1) 山雄健史、清水康弘、寺崎皓平、堀田収、「発光デバイスの駆動方法及び駆動装置」 特願 2008-29318、

2008年2月8日出願 特許出願人：国立大学法人京都工芸繊維大学.

- 2) 堀田収、山雄健史、陣内浩司、櫻井陽一、松永和之、三木智晴、平等文雄、「有機光学デバイス、その製造方法、及び増幅又は狭線化した光を発する方法」特願 2008-175782、2008年7月4日出願 特許出願人：国立大学法人京都工芸繊維大学.
- 3) 堤直人、浦田稔 「フォトリフラクティブ組成物」特願 2009-032004 平成21年2月13日出願 特許出願人 国立大学法人京都工芸繊維大学、日本触媒.

著書

- 1) 山雄健史、堀田収、「(チオフェン/フェニレン)コオリゴマー材料の結晶成長と光・電子デバイス応用」*光機能性高分子材料の新たな潮流—最新技術とその展望—*、市村國宏監修、シー・エム・シー出版、2008、第III編第2章 (pp.174-186).
- 2) 堀田収、山雄健史、「寸法と分子形状を超精密制御したハイブリッド共役ポリマーの極限性能」*次世代共役ポリマーの超階層制御と革新機能*、赤木和夫監修、シー・エム・シー出版、2009、第IV編第3章 (pp.358-365).
- 3) Shu Hotta, “Novel Electronic and Photonic Properties of Thiophene-Based Oligomers,” in *Thiophene-Based Materials for Electronics and Photonics* (Eds.: I. F. Perepichka and D. F. Perepichka), John Wiley & Sons, Chichester, UK, in press.
- 4) Hisao Yanagi, Fumio Sasaki, Shunsuke Kobayashi, Shu Hotta, “Novel Photonic Responses from Low-dimensional Crystals of Thiophene/Phenylene Oligomers,” in *Thiophene-Based Materials for Electronics and Photonics* (Eds.: I. F. Perepichka and D. F. Perepichka), John Wiley & Sons, Chichester, UK, in press.

総説

- 1) 堤直人 「有機光導波路を用いた有機レーザーの構築」*未来材料* Vol. 8 Mo. 8 pp. 48-53 (2008).
- 2) 山雄健史、堀田収、「有機結晶デバイスのための薄膜単結晶の成長と物性評価」*科学と工業*、**82(7)**、328-334 (2008).
- 3) S. Hotta, T. Katagiri, T. Yamao, K. Shimizu, H. Yanagi, M. Ichikawa, and Y. Taniguchi, “Development and electronic and photonic characteristics of thiophene/phenylene co-oligomers,” *Int. J. Polym. Mater.* **57(5)**, 515-531 (2008).

国内発表

- 1) 石橋隆志、坂井互、堤直人「有機DFBレーザー素子」*Polymer Preprints, Japan* 57(1) p. 1299 (2008) (横浜 パシフィコ横浜 5月).
- 2) 山岡知広、坂井互、堤直人「ナイロン11超薄膜の強誘電性」*Polymer Preprints, Japan* 57(1) p. 1057 (2008) (横浜 パシフィコ横浜 5月).
- 3) 土肥彰人、坂井互、堤直人「有機フォトリフラクティブ材料」*Fiber Preprints, Japan* 63(1, 2) p. 259 (2008) (東京 タワーホール船堀 6月).

- 4) 永野佑樹、坂井互、堤直人「オプティカルポーリングと $\chi^{(2)}$ 構造形成」 Fiber Preprints, Japan 63(1,2) p. 260 (2008) (東京 タワーホール船堀 6月).
- 5) 西田斉司、坂井互、堤直人「有機ポリマーレーザー」 Fiber Preprints, Japan 63(1,2) p. 269 (2008) (東京 タワーホール船堀 6月).
- 6) 西田斉司、坂井互、堤直人「有機ポリマーレーザー」 Extended Abstracts (The 69th Annual Meeting, 2008) The Japan Society of Applied Physics 3a-W-9 p.1178 (2008) (春日井市 中部大学 9月).
- 7) 石橋隆志、坂井互、堤直人「有機固体レーザー」 Polymer Preprints, Japan 57(2) p. 4531 (2008) (大阪 大阪市大 9月).
- 8) 山岡知広、坂井互、堤直人「ナイロン11超薄膜の強誘電性」 Polymer Preprints, Japan 57(2) p. 3953 (2008) (大阪 大阪市大 9月).
- 9) 片桐敏文、坂東誠二、宮田真良、平瀬龍二、石原マリ、山雄健史、堀田収、「溶解性を向上させた(チオフェン/フェニレン)コオリゴマーの合成とトランジスタ特性」第57回高分子学会年次大会、パシフィコ横浜、2008年5月28-30日.
- 10) 山雄健史、寺崎皓平、清水康弘、堀田収、「交流ゲート電圧駆動による有機発光トランジスタの発光性能の向上」第69回応用物理学学会学術講演会、中部大学、2008年9月2-5日.
- 11) 片桐敏文、坂東誠二、宮田真良、阪口拓哉、清水康弘、山雄健史、堀田収、「トリフルオロメチル基を導入した(チオフェン/フェニレン)コオリゴマーの合成と電界効果トランジスタ特性」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 12) 赤神 博、西本 善博、山雄 健史、堀田 収、吉田 郵司、「有機半導体デバイス作製に向けた液相結晶成長法の改良」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 13) 井上文嗣、石橋隆志、山雄健史、堀田収、坂井互、堤直人、「周期的光学利得を形成したオリゴマー材料のレーザー分光測定」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 14) 阪口 拓哉、重里 圭一郎、山雄 健史、堀田 収、「高純度の(チオフェン/フェニレン)コオリゴマーを用いた溶融膜の作製と構造解析」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 15) 清水康弘、山雄健史、堀田収、阿澄玲子、「高移動度n型有機結晶トランジスタ」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 16) 重里圭一郎、山雄健史、堀田収、「近接蒸着によるオリゴマー有機半導体単結晶の作製とデバイス評価」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 17) 西本善博、赤神博、片桐敏文、山雄健史、堀田収、「溶液プロセスによる(チオフェン/フェニレン)コオリゴマー結晶薄膜の作製」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 18) 奥田裕貴、山本一統、山雄健史、堀田 収、「レーザー分光を利用した有機半導体結晶の光学定数の測定」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 19) 櫻井陽一、松永和之、三木智晴、平等文雄、山雄 健史、堀田 収、陣内浩司、「マイクロキャビティを備えた有機半導体単結晶薄膜の蛍光特性」第57回高分子討論会、大阪市立大学、2008年9月24-26日.

- 20) 寺崎皓平、清水康弘、山雄健史、堀田収、「有機半導体薄膜を用いた発光トランジスターの高性能化」第57回高分子討論会、大阪市立大学、2008年9月24-26日.
- 21) 山雄健史、寺崎皓平、清水康弘、堀田収、「有機半導体結晶トランジスタからの電流注入狭線化発光」第56回応用物理学関係連合講演会、筑波大学、2009年3月30日~4月2日.
- 22) 富永依里子、木下雄介、尾江 邦重、吉本 昌広、「Fabrication of GaAsBi/GaAs multi-Quantum well structures with $1.3\ \mu\text{m}$ 」、第27回電子材料シンポジウム、伊豆市
- 23) 富永依里子、木下雄介、尾江 邦重、吉本 昌広、「 $1.3\ \mu\text{m}$ でのホトルミネセンス発光を有する GaAs $_{1-x}$ Bi $_x$ /GaAs 多重量子井戸構造の製作」、第33回結晶成長討論会、仙台
- 24) 山田和弥、富永依里子、尾江邦重、吉本 昌広、「(100)GaAs 基板上 In $_{1-y}$ Ga $_y$ As $_{1-x}$ Bi $_x$ /GaAs 多重量子井戸構造の製作」、第56回応用物理関係連合講演会、つくば市
- 25) 富永依里子、尾江邦重、吉本 昌広、「GaAs $_{1-x}$ Bi $_x$ /GaAs 多重量子井戸の構造評価」、第56回応用物理関係連合講演会、つくば市